STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



RESULT: Satisfactory **Facility Information**

Permit Number: 55-48-00031

Name of Facility: JULINGTON CREEK ELEMENTARY SCHOOL

Address: 2316 RACE TRACK Road

City, Zip: Fruit Cove 32259

Type: School (9 months or less)

Owner: JULINGTON CREEK ELEMENTARY SCHOOL

Person In Charge: JULINGTON CREEK ELEMENTARY SCHOOL Phone: (904) 547-3963

PIC Fmail:

Inspection Information

Number of Risk Factors (Items 1-29): 0 Begin Time: 11:00 AM Purpose: Routine Inspection Date: 8/15/2023 Number of Repeat Violations (1-57 R): 0 End Time: 11:25 AM

Correct By: None FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events **GOOD HYGIENIC PRACTICES**
- NO 6. Proper eating, tasting, drinking, or tobacco use
- 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed
- No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- 14. Shellstock tags & parasite destruction
- PROTECTION FROM CONTAMINATION IN 15. Food separated & protected; Single-use gloves
- APPROVED SOURCE

- NA 25. Advisory for raw/undercooked food HIGHLY SÚSCEPTIBLE POPULATIONS IN 26. Pasteurized foods used; No prohibited foods ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used

IN 16. Food-contact surfaces; cleaned & sanitized

TIME/TEMPERATURE CONTROL FOR SAFETY

IN 17. Proper disposal of unsafe food

18. Cooking time & temperatures

NO 20. Cooling time and temperature

IN 23. Date marking and disposition

IN 21. Hot holding temperatures

N 22. Cold holding temperatures

NA 19. Reheating procedures for hot holding

NO 24. Time as PHC; procedures & records **CONSUMER ADVISORY**

- 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- IN 29. Variance/specialized process/HACCP

Inspector Signature:

14

Client Signature:

Form Number: DH 4023 03/18 55-48-00031 JULINGTON CREEK ELEMENTARY SCHOOL

1 of 2

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

NO 30. Pasteurized eggs used where required

IN 31. Water & ice from approved source

IN 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

IN 33. Proper cooling methods; adequate equipment

IN 34. Plant food properly cooked for hot holding

NO 35. Approved thawing methods

IN 36. Thermometers provided & accurate

FOOD IDENTIFICATION

IN 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

IN 38. Insects, rodents, & animals not present

IN 39. No Contamination (preparation, storage, display)

IN 40. Personal cleanliness

IN 41. Wiping cloths: properly used & stored

NO 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

IN 43. In-use utensils: properly stored

IN 44. Equipment & linens: stored, dried, & handled

IN 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

IN 47. Food & non-food contact surfaces

IN 48. Ware washing: installed, maintained, & used; test strips

IN 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

IN 50. Hot & cold water available; adequate pressure

51. Plumbing installed; proper backflow devices

IN 52. Sewage & waste water properly disposed

IN 53. Toilet facilities: supplied, & cleaned

N 54. Garbage & refuse disposal

IN 55. Facilities installed, maintained, & clean

N 56. Ventilation & lighting

IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

No Violation Comments Available

General Comments

Marinara and meatballs on steam table 145F degrees. ok No violations observed during inspection.

Email Address(es): Teresa.A.Spengler-Butrimas@stJohns.k12.fl.us

Inspection Conducted By: Darren Guffey (54792) Inspector Contact Number: Work: (904) 506-6081 ex.

Print Client Name: Date: 8/15/2023

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18 55-48-00031 JULINGTON CREEK ELEMENTARY SCHOOL